

In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

Version:

## Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:Boysenberry Flavor 343723Other identifiers:None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Flavours

3

#### 1.3 Details of the supplier of the safety data sheet

Company name:	Perfumer's Apprentice
Company address:	170 Technology Circle Scotts Valley CA 95066 USA
Contact:	Elisabeth Hanson
E-Mail address:	regulatory@perfumersapprentice.com
Company phone:	(831)316-7137
1.4 Emergency telepho	one number

## Emergency phone: ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

#### Section 2. Hazards identification

## 2.1 Classification of the substance or mixture

Class and category of danger:	Flammable Liquid, Hazard Category 3
	Eye Damage / Irritation Category 2A
	H226, Flammable liquid and vapour.
	H319, Causes serious eye irritation.

#### 2.2 Label elements

Signal word:	Warning
Hazard statements:	H226, Flammable liquid and vapour. H319, Causes serious eye irritation.
Precautionary statements:	<ul> <li>P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.</li> <li>P233, Keep container tightly closed.</li> <li>P240, Ground/bond container and receiving equipment.</li> <li>P241, Use explosion-proof electrical, ventilating and lighting equipment.</li> <li>P242, Use only non-sparking tools.</li> <li>P243, Take precautionary measures against static discharge.</li> </ul>



In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

Version: 3

P264, Wash hands and other contacted skin thoroughly after handling.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337/313, If eye irritation persists: Get medical advice/attention.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



None

Other hazards:

## Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Pictograms:** 

#### **Contains:**

Name	CAS	EC	%	GHS Classification
Benzaldehyde	100-52-7	202-860-4	5-<10%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 4- Eye Irrit. 2A-STOT SE 3;H227-H302- H319-H332-H335
Ethyl methylphenylglycidate	77-83-8	201-061-8	5-<10%	Skin Sens. 1B;H317
Ethyl acetate	141-78-6	205-500-4	5-<10%	Flam. Liq. 2-Eye Irrit. 2A-STOT SE 3; H225-H319-H336
3-Hexen-1-ol (isomer unspecified)	544-12-7	208-860-0	1-<5%	Flam. Liq. 3-Eye Irrit. 2A;H226-H319
Ethyl isovalerate	108-64-5	203-602-3	1-<5%	Flam. Liq. 3-Skin Irrit. 2;H226-H315
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	222-908-8	1-<5%	Acute Tox. 4-Eye Dam. 1-Skin Sens. 1A;H302-H317-H318
l-Linalool	126-91-0	204-811-2	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A; H227-H315-H319
Linalyl acetate	115-95-7	204-116-4	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A; H227-H315-H319
d-Limonene	5989-27-5	227-813-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:



In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

3

#### Version:

Name	CAS	EC	%
Ethyl acetate	141-78-6	205-500-4	1-10%
Propylene glycol	57-55-6	200-338-0	50-60%

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.



In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

Version:

#### 6.4 Reference to other sections:

3

Also refer to sections 8 and 13.

## Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m³	Reference
Ethyl agetata	141-78-6	205-500-	Long-term exposure limit (8-hour TWA reference period)	-	-	-
Ethyl acetate	141-70-0	4	Short-term exposure limit (15- minute reference period)	-	-	-
	57.55.0 2	ET EE C 200-338-	Long-term exposure limit (8-hour TWA reference period)	-	-	-
Propylene glycol	57-55-6	0	Short-term exposure limit (15- minute reference period)	-	-	-

#### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.



Page 5 ( 8 ) Issue date: 11/10/2021 Version: 3 (11/10/2021)

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

Version:

Also refer to Sections 2 and 7.

3

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	31.11 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available

#### Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000



In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

3

Version:

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Inhalation Route:

Not Applicable Not Available Not Available

## Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzaldehyde	100-52-7	202-860-4	1430	Not available	1.5	Dust/mist

Refer to Sections 2 and 3 for additional information.

## Section 12. Ecological information

12.1 Toxicity:	Not available
12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6 Other adverse effects:

Not available

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

14.1 UN number:	UN1197
14.2 UN Proper Shipping Name:	EXTRACTS, LIQUID
14.3 Transport hazard class(es):	3
Sub Risk:	-
14.4. Packing Group:	111
14.5 Environmental hazards:	Not environmentally hazardous for transport
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Anno	ex II of MARPOL73/78 and the IBC Code:
Natanaliaahla	

Not applicable



In accordance with 29 CFR 1910.1200

Product: Boysenberry Flavor 343723

Version:

## Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

## **15.2 Chemical Safety Assessment**

3

A Chemical Safety Assessment has not been carried out for this product.

#### Section 16. Other information

Concentration % Limits:	EDI 2=25.19% SS 1=5.00%
Total Fractional Values:	EDI 2=3.97 SS 1=20.00

### Key to revisions:

2.1 Classification of the substance or mixtureConcentration % LimitsInformation about hazardous ingredients in the mixtureSECTION 3: Composition/information on ingredientsTotal Fractional Values

#### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 2	Flammable Liquid, Hazard Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.



#### In accordance with 29 CFR 1910.1200

## Product: Boysenberry Flavor 343723

3

#### Version:

P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.