

Version: 2 (05/19/2021)

# SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

# Section 1. Identification of the substance or the mixture and of the supplier

### 1.1 Product Identifier

Product identifier: Bubblegum (Fruity) Flavor 345087

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: **Flavours** 

1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice Company address: 170 Technology Circle

> Scotts Valley CA 95066

USA

**Contact:** Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

Company phone: (831)316-7137 1.4 Emergency telephone number

**Emergency phone:** ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

#### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

danger:

Class and category of Flammable Liquid, Hazard Category 3

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 H226, Flammable liquid and vapour.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

#### 2.2 Label elements

Signal word: Warning

Hazard statements: H226, Flammable liquid and vapour.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

**Precautionary** 

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

statements: P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.



PERFUMER'S APPRENTICE

Issue date: 05/19/2021

Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

#### In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Other hazards:

None

Section 3. Composition / information on ingredients

# 3.2 Mixtures

#### **Contains:**

| Name            | CAS       | EC        | %       | GHS Classification   |
|-----------------|-----------|-----------|---------|--|
| Ethyl alcohol   | 64-17-5   | 200-578-6 | 10-<20% | Flam. Liq. 2-Eye Irrit. 2A;H225-H319   |
| I-Limonene      | 5989-54-8 | 227-815-6 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-<br>Asp. Tox 1;H226-H304-H315-H317          |
| Eugenol         | 97-53-0   | 202-589-1 | 0.1-<1% | Eye Irrit. 2A-Skin Sens. 1B;H317-H319  |
| Allyl hexanoate | 123-68-2  | 204-642-4 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3;H227-H301-H311-H331 |

The exact percentage concentrations of components are being withheld as a trade secret.

# Substances with Community workplace exposure limits, not listed above:





Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

#### In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

| Name             | CAS     | EC        | %      |  |
|------------------|---------|-----------|--------|--|
| Ethyl alcohol    | 64-17-5 | 200-578-6 | 10-20% |  |
| Propylene glycol | 57-55-6 | 200-338-0 | 70-80% |  |

#### Section 4. First-aid measures

### 4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.





Version: 2 (05/19/2021)

# SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

# 8.1 Control parameters

### Workplace exposure limits:

| Ingredient          | CAS     | EC            | Description  | ppm | mg/m³ | Reference |
|---------------------|---------|---------------|--|-----|-------|-----------|
| Ethyl alcohol 6     | 64-17-5 | 200-578-<br>6 | Long-term exposure limit (8-hour TWA reference period) | -   | -     | -         |
|                     |         |               | Short-term exposure limit (15-minute reference period) | -   | -     | -         |
| Propylene glycol 57 | 57 55 6 | 200-338-      | Long-term exposure limit (8-hour TWA reference period) | -   | -     | -         |
|                     | 57-55-6 | 0             | Short-term exposure limit (15-minute reference period) | -   | -     | -         |

### 8.2 Exposure Controls

# Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.





Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flash point: 29.44 °C

Vapour pressure:Not determinedRelative density:Not determinedSolubility(ies):Not determined9.2 Other information:None available

# Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

# 10.2 Chemical stability:

Good stability under normal storage conditions.

# 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

# 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

# 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

May cause an allergic skin reaction.

Causes serious eye irritation.





Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available Inhalation Route: Not Available

### Information about hazardous ingredients in the mixture

| Ingredient      | CAS      | EC        | LD50/ATE Oral | LD50/ATE<br>Dermal | LC50/ATE<br>Inhalation | LC50 Route |
|-----------------|----------|-----------|---------------|--------------------|------------------------|------------|
| Allyl hexanoate | 123-68-2 | 204-642-4 | 300           | 300                | 3                      | Vapour     |

Refer to Sections 2 and 3 for additional information.

# **Section 12. Ecological information**

### 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

**14.1 UN number**: UN1197

14.2 UN Proper Shipping Name: EXTRACTS, LIQUID

14.3 Transport hazard class(es): 3

Sub Risk: -

14.4. Packing Group:

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable



PERFUMER'S APPRENTICE

Issue date: 05/19/2021

Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

# **Section 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

**Section 16. Other information** 

Concentration % Limits: EDI 2=58.82%

Total Fractional Values: EDI 2=1.70

Key to revisions:

2.1 Classification of the substance or mixture Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients

### Key to abbreviations:

| Abbreviation  | Meaning   |
|---------------|---|
| Acute Tox. 3  | Acute Toxicity - Oral Category 3                                      |
| Acute Tox. 3  | Acute Toxicity - Dermal Category 3                                    |
| Acute Tox. 3  | Acute Toxicity - Inhalation Category 3                                |
| Asp. Tox 1    | Aspiration Hazard Category 1  |
| Eye Irrit. 2A | Eye Damage / Irritation Category 2A                                   |
| Flam. Liq. 2  | Flammable Liquid, Hazard Category 2                                   |
| Flam. Liq. 3  | Flammable Liquid, Hazard Category 3                                   |
| Flam. Liq. 4  | Flammable Liquid, Hazard Category 4                                   |
| H225          | Highly flammable liquid and vapour.                                   |
| H226          | Flammable liquid and vapour.  |
| H227          | Combustible liquid.   |
| H301          | Toxic if swallowed.   |
| H304          | May be fatal if swallowed and enters airways.                         |
| H311          | Toxic in contact with skin.   |
| H315          | Causes skin irritation.   |
| H317          | May cause an allergic skin reaction.                                  |
| H319          | Causes serious eye irritation.  |
| H331          | Toxic if inhaled.   |
| P210          | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233          | Keep container tightly closed.  |
| P240          | Ground/bond container and receiving equipment.                        |
| P241          | Use explosion-proof electrical, ventilating and lighting equipment.   |





Version: 2 (05/19/2021)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Bubblegum (Fruity) Flavor 345087

Version: 2

| P242          | Use only non-sparking tools.   |
|---------------|--|
| P243          | Take precautionary measures against static discharge.  |
| P261          | Avoid breathing vapour or dust.  |
| P264          | Wash hands and other contacted skin thoroughly after handling.   |
| P270          | Do not eat, drink or smoke when using this product.  |
| P271          | Use only outdoors or in a well-ventilated area.  |
| P272          | Contaminated work clothing should not be allowed out of the workplace.   |
| P280          | Wear protective gloves/eye protection/face protection.   |
| P301/310      | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  |
| P302/352      | IF ON SKIN: Wash with plenty of soap and water.  |
| P303/361/353  | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P304/340      | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305/351/338  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P311          | Call a POISON CENTRE or doctor/physician.  |
| P330          | Rinse mouth.   |
| P331          | Do not induce vomiting.  |
| P333/313      | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313      | If eye irritation persists: Get medical advice/attention.  |
| P361          | Remove/Take off immediately all contaminated clothing.   |
| P362          | Take off contaminated clothing and wash before reuse.  |
| P363          | Wash contaminated clothing before reuse.   |
| P370/378      | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  |
| P403/235      | Store in a well-ventilated place. Keep cool.   |
| P405          | Store locked up.   |
| P501          | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2   |
| Skin Sens. 1B | Sensitization - Skin Category 1B   |
|               |  |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.